

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows:

Listing of Claims:

Claim 1 (Currently Amended): An image display device, comprising:

image pick-up means for picking up an image;

image display means for displaying an image;

detection means for detecting ~~the~~ a position of the eyes of a face relative to the image display means by image recognition from an image picked-up by said image pick-up means;
and

display position alteration means for altering ~~the~~ a position of a location of an image ~~display~~ displayed by said image display means, based on the detection result of said detection means.

Claim 2 (Original): The image display device according to claim 1, wherein
said display position alteration means is a digital interpolation filter which effects parallel movement in sub-pixel units of the display position of the image.

Claim 3 (Currently Amended): The image display device according to claim 2,
wherein

said digital interpolation filter estimates the parallel movement amount of the image display position at a point of time in the future that is substantially equal to the delay time resulted from processing by the digital interpolation filter.

Claim 4 (Currently Amended): The image display device according to claim 2 ~~or 3~~,
further comprising:

distance measurement means to measure the distance with an external object, wherein
said digital interpolation filter also performs image enlargement and reduction
processing based on the results of measurement of said distance measurement means.

Claim 5 (Original): The image display device according to claim 1, wherein
said display position alteration means is a damping device which causes physical
movement of said image display means.

Claim 6 (Currently Amended): The image display device according to ~~any one of~~
~~claims 1 through 5~~ claim 1, further comprising:

acceleration measurement means for measuring the acceleration of said image display
device unit, wherein

said display position alteration means alters the position of image display by said
image display means based on the detection results of said detection means and the
measurement results of said acceleration measurement means.

Claim 7 (Currently Amended): The image display device according to ~~any of claims~~
~~1 through 6~~ claim 1, wherein

said image pick-up means is a CMOS sensor.

Claim 8 (Currently Amended): An image blurring prevention method, in an image
display device having image pick-up means and image display means, for preventing blurring
of the image displayed on said image display means, comprising:

a first step of detecting the position of the eyes of a face relative to the image display
means by image recognition from an image picked-up by said image pick-up means, and

a step of altering ~~the~~ a position of a location of an image display ~~display~~ displayed by said image display means, based on the detection result of said first step.

Claim 9 (New): An image display device, comprising:

an image sensor configured to capture images;

an image display configured to display images;

a detector configured to detect a position of the eyes of a face relative to the image display by image recognition from an image captured by said image sensor; and

a processor configured to alter a position of a location of an image displayed by the image display based on a detection result of said detector.